

REFERENCES

- [1] 1703, U. (2004). Flat-Plate Photovoltaic Modules and Panels. Underwriters Laboratories Inc. (UL).
- [2] Shading and bypass diode impacts to energy extraction of PV arrays under different converter configurations. (2014). *Renewable Energy*, 68, 58-66.
- [3] 60079-14, I. (2007). International Standard Explosive Atmosphere, Part-14. 4.
- [4] 61215, B. E. (2005). Crystalline Silicon terrestrial photovoltaic (PV) modules – Design Qualification and Type Approval. British Standards.
- [5] A. Di Benedetto, V. D. (2010). On the determination of the minimum ignition temperature for dust/air mixtures. *Chemical Engineering Transactions*, 19, 189-194.
- [6] Abhishek Rao., R. P. (2014). Influence of dust deposition on photovoltaic panel performance. *Energy Procedia*, 54, 690-700.
- [7] Achim Woytea, J. N. (2003). Partial shadowing of photovoltaic arrays with different system configurations: literature review and field test results. *Solar Energy*, 217–233.
- [8] Alberto Dolara, G. C. (2013). Experimental investigation of partial shading scenarios on PV (photovoltaic) modules. *Energy*, 55, 466-475.
- [9] API 2216 Ed 3, (. (2003). *Ignition Risk of Hydrocarbon Liquids and Vapors by Hot Surfaces in the Open Air*. Washington: American Petroleum Institute.
- [10] ASTM International, U. (2008). Standard Test Method for Hotspot Protection Testing of Photovoltaic Modules. *ASTM E 2481*.
- [11] ASTM-E1491-06. (2006). Standard Test Method for Minimum Autoignition Temperature of Dust Clouds. ASTM.
- [12] Boxwell, M. (2012). *Solar Electricity Handbook - A simple, practical guide to using electric photovoltaic panels and designing and installing photovoltaic PV systems*.
- [13] Buckley, J. W. (1976). *Research Methodology & Business Decisions*. (N. A. Accountants, Ed.) Retrieved from <http://maaw.info/ArticleSummaries/ArtSumBuckley76.htm>
- [14] Chris Deline, J. M. (May 2012). *Photovoltaic Shading Testbed for Module-Level Power Electronics*. National Renewable Energy Laboratory.
- [15] CMES, C. O. (2011). Research Methodology. University Of Petroleum & Energy Studies.

- [16] Commission, I. E. (2007). *International Standard Explosive Atmosphere*. Geneva: International Electrotechnical Commission.
- [17] Deline, C. (2009). Partially shaded operation of a grid-tied PV system. *IEEE*.
- [18] Deline, C. A. (2013). A simplified model of uniform shading in large photovoltaic arrays. *Solar Energy*(96), 274-282.
- [19] E. Molenbroek, D. W. (1991). Hotspot Susceptibility And Testing Of PV Modules. *NREL*, 547 – 552.
- [20] EN, B. (2008). Thin-film terrestrial photovoltaic (PV) modules — Design qualification and type approval. BS EN.
- [21] Fialho, L. R.-P. (2014). Effect of shading on series solar modules: simulation and experimental results. *Procedia Technology*, 17, 295-302.
- [22] Garside, R. (1997). Intrinsically safe instrumentation: A guide. Hexagon Technology.
- [23] Govindasamy (Mani) TamizhMani, S. S. (2008). Hotspot Evaluation Of Photovoltaic Modules. *SPIE Conference*.
- [24] Groh, H. (2004). *Explosion Protection* (1 ed.). Elsevier.
- [25] Hadden, R. M. (2011). Ignition of Combustible Fuel Beds by Hot Particles: An Experimental and Theoretical Study. *Fire Technology*, 341-355.
- [26] IBM. (2013). *The Weather Channel*. Retrieved from <https://weather.com>
- [27] Ishaque, K. a. (2011). A comprehensive MATLAB Simulink PV system simulator with partial shading capability based on two-diode model. *Solar Energy*, 85(9), 2217-2227.
- [28] K.Eckhoff, (2005). *Explosion Hazards in the Process Industries* (1 ed.).
- [29] K.Eckhoff, R. (1997). *Dust Explosions in the Process Industries* (2 ed.).
- [30] Markvart, T. (2000). *Solar Electricity* (2nd Ed ed.). John Wiley.
- [31] Murtaza, A. M. (2014). A maximum power point tracking technique based on bypass diode mechanism for PV arrays under partial shading. *Energy and Buildings*, 73, 13-25.
- [32] NFPA. (2012). *NFPA 70: National Electrical Code*. NFPA-NEC.
- [33] OSHA. (2012). *Occupational Safety and Health Standards 1910.307 - Hazardous (classified) locations*. (OSHA) Retrieved from https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9884

- [34] Osterwald, C. a. (2009). *History of accelerated and qualification testing of terrestrial photovoltaic modules: A literature review*. National Renewable Energy Laboratory. Wiley InterScience.
- [35] Pieter, B. D. (2014). Reducing partial shading power loss with an integrated Smart Bypass. *Solar Energy*, 103, 134-142.
- [36] S.Krane, K. (n.d.). *Modern Physics* (2 ed.). John Wiley & Sons.
- [37] Saskatchewan. (2001). *Mine Emergency Response Program - Mine Rescue Manual*. Saskatoon, Sask : Saskatchewan Labour, 2001.
- [38] Saskatchewan. (2001). *Occupational Health and Safety Division - Mine Rescue Manual*. Saskatchewan: Saskatchewan Mine Emergency Response Program.
- [39] Silvestre, L. C. (2002). *Modeling Photovoltaic Systems Using PSpice*. Wiley.
- [40] Stefan Wendlandt, A. D. (2010). Hot Spot Risk Analysis of Silicon Cell Modules. *25th European Photovoltaic Solar Energy Conference*. Spain.
- [41] Vivek K, M. A. (2015). Tracing of shading effect on underachieving SPV cell of an SPV grid using wireless sensor network. *Engineering Science and Technology*, 18(3), 475-484.
- [42] W.Creswell, J. (2003). *Research Design* (2 ed.). London: SAGE.
- [43] Zheng, H. S. (2014). Shading and bypass diode impacts to energy extraction of PV arrays under different converter configurations. *Renewable Energy*, , 58-66.