

CONTENTS

| | |
|---|-----------|
| EXECUTIVE SUMMARY | X |
| LIST OF ABBREVIATIONS | xiv |
| LIST OF FIGURES | xvi |
| LIST OF TABLES..... | xx |
| CHAPTER-1: INTRODUCTION | 1 |
| <i>1.1 Overview.....</i> | <i>1</i> |
| <i>1.2 Research motivation.....</i> | <i>1</i> |
| <i>1.3 Area of Study.....</i> | <i>2</i> |
| <i>1.4 Objectives of the Research.....</i> | <i>2</i> |
| <i>1.5 Overview of research approach.....</i> | <i>3</i> |
| <i>1.6 Contribution of research.....</i> | <i>3</i> |
| <i>1.7 Outline of thesis chapters</i> | <i>3</i> |
| CHAPTER-2: CONCEPTS OF 802.11n AND 802.11ac..... | 5 |
| <i>2.1 Enhancements in 802.11n WLANs over Legacy WLANs.....</i> | <i>5</i> |
| <i>2.1.1 Introduction.....</i> | <i>5</i> |
| <i>2.1.2 PHY layer enhancements.....</i> | <i>5</i> |
| <i>2.1.3 MAC layer enhancements.....</i> | <i>11</i> |
| <i>2.2 Enhancements in 802.11ac WLAN over previous WLANs.....</i> | <i>12</i> |
| <i>2.2.1 Modulation and Coding Schemes.....</i> | <i>15</i> |
| <i>2.2.2 Channel Bonding.....</i> | <i>15</i> |
| <i>2.2.3 Spatial Streams</i> | <i>15</i> |
| <i>2.2.4 Transmit Beamforming in 802.11ac.....</i> | <i>15</i> |
| <i>2.2.5 Multi-User MIMO</i> | <i>20</i> |
| CHAPTER-3: LITERATURE SURVEY | 22 |
| <i>3.1 QOS Mechanisms for IEEE 802.11 WLANs.....</i> | <i>22</i> |
| <i>3.2 Queueing</i> | <i>23</i> |
| <i>3.3 Call Admission Control.....</i> | <i>23</i> |
| <i>3.4 Aggregation.....</i> | <i>24</i> |
| <i>3.5 Rate Adaptation.....</i> | <i>24</i> |

| | | |
|--------|--|----|
| 3.5.1 | <i>Fast Decrease and Retry Scheduling</i> | 25 |
| 3.5.2 | <i>HAMM-CP</i> | 26 |
| 3.5.3 | <i>Dual Queue Rate-Controlled AP (DRAP)</i> | 29 |
| 3.5.4 | <i>Zig Zag MiRA</i> | 30 |
| 3.6 | <i>Scheduling</i> | 32 |
| 3.6.1 | <i>Traffic scheduling schemes</i> | 32 |
| 3.6.2 | <i>Request reservation approach</i> | 34 |
| 3.6.3 | <i>Polling</i> | 35 |
| 3.6.4 | <i>Using TXOP</i> | 36 |
| 3.6.5 | <i>Token Passing Mechanism</i> | 38 |
| 3.6.6 | <i>MAC Aggregation Approach</i> | 39 |
| 3.6.7 | <i>PHY Layer Scheduling</i> | 41 |
| 3.6.8 | <i>Out of Band Approach</i> | 46 |
| 3.6.9 | <i>Cross platform Approach</i> | 48 |
| 3.6.10 | <i>QoE based scheduling</i> | 48 |
| 3.6.11 | <i>Scheduler for 802.11ac</i> | 50 |
| 3.7 | <i>Additional Mechanisms to Handle QoS</i> | 52 |
| 3.7.1 | <i>Synchronized Time</i> | 52 |
| 3.7.2 | <i>Receiving-Opportunity Control</i> | 53 |
| 3.7.3 | <i>Cognitive Solution</i> | 54 |
| 3.7.4 | <i>FairWLAN</i> | 55 |
| 3.7.5 | <i>MAC-HCCA</i> | 56 |
| 3.7.6 | <i>Enhanced AEDCA</i> | 58 |
| 3.8 | <i>Review of Transmit Beamforming Mechanisms</i> | 58 |
| 3.8.1 | <i>Time Domain Quantization</i> | 58 |
| 3.8.2 | <i>Pre-coding and Temporal CSI</i> | 59 |
| 3.8.3 | <i>Explicit Feedback and Preamble Structure</i> | 59 |
| 3.8.4 | <i>DTRA - Directional Transmit and Receive Algorithm</i> | 59 |
| 3.8.5 | <i>Beamforming with Multiple Spatial Streams</i> | 59 |
| 3.8.6 | <i>Single-User and Multi-User Beamforming</i> | 60 |

| | |
|---|-----|
| 3.8.7 <i>Smart Antennas</i> | 60 |
| 3.9 <i>Review of MU-MIMO Mechanisms</i> | 61 |
| 3.9.1 <i>General</i> | 61 |
| 3.9.2 <i>MAC Layer</i> | 62 |
| 3.9.3 <i>PHY Layer</i> | 67 |
| CHAPTER-4: PERFORMANCE EVALUATION..... | 74 |
| 4.1 <i>Introduction to performance evaluation features</i> | 74 |
| 4.2 <i>Performance Evaluation of IEEE 802.11ac and 802.11n</i> | 75 |
| 4.2.1 <i>Introduction</i> | 75 |
| 4.2.2 <i>Performance Test</i> | 75 |
| 4.2.3 <i>Results and Discussion</i> | 76 |
| 4.2.4 <i>Conclusion</i> | 87 |
| 4.3 <i>Evaluation of Rate Adaptation Techniques</i> | 87 |
| 4.3.1 <i>Introduction</i> | 87 |
| 4.3.2 <i>Performance Test</i> | 90 |
| 4.3.3 <i>Results and Discussion</i> | 91 |
| 4.3.4 <i>Conclusion</i> | 109 |
| 4.4 <i>Evaluation of Transmit Beam Forming</i> | 110 |
| 4.4.1 <i>Introduction</i> | 110 |
| 4.4.2 <i>Test set-up</i> | 111 |
| 4.4.3 <i>Results and discussion</i> | 113 |
| 4.4.4 <i>Example Scenarios where Beamforming can be applied</i> | 126 |
| 4.4.5 <i>Conclusion</i> | 127 |
| 4.5 <i>Evaluation of MU MIMO performance</i> | 127 |
| 4.5.1 <i>Introduction</i> | 127 |
| 4.5.2 <i>Simulation, results and discussion</i> | 128 |
| 4.5.3 <i>Conclusion</i> | 134 |
| CHAPTER-5: CONCLUSION AND PROPOSAL OF A SCHEDULER FRAMEWORK..... | 135 |
| 5.1 <i>Introduction</i> | 135 |

| | | |
|---|--|-----|
| 5.2 | <i>Conclusions of the Research</i> | 136 |
| 5.3 | <i>Need for a scheduler</i> | 136 |
| 5.3.1 | <i>Current State of Advanced Applications</i> | 137 |
| 5.3.2 | <i>Vendor Features</i> | 137 |
| 5.4 | <i>Conclusions Derived in the Thesis Leading to Recommendation of a Scheduler</i> | 140 |
| 5.4.1 | <i>QoS</i> | 140 |
| 5.4.2 | <i>Interference issues in WLANs</i> | 142 |
| 5.5 | <i>Proposed Framework</i> | 144 |
| 5.5.1 | <i>Block diagram</i> | 144 |
| 5.5.2 | <i>Components of the Scheduler</i> | 144 |
| 5.5.3 | <i>Description</i> | 153 |
| 5.6 | <i>Scenarios</i> | 154 |
| 5.6.1 | <i>Factors Impacting the Scheduler</i> | 155 |
| 5.6.2 | <i>Use-case scenarios</i> | 156 |
| CHAPTER-6: FUTURE WORK | | 158 |
| 6.1 | <i>Scheduler for 802.11ac</i> | 158 |
| 6.2 | <i>Extending the Frame Work to Next Generation WLANs – 802.11ax</i> | 158 |
| APPENDIX-1: SIMULATION TOOLS | | 159 |
| APPENDIX-2: BACKGROUND OF WLANs | | 160 |
| APPENDIX-3: MECHANISMS FOR QoS ENHANCEMENT | | 166 |
| A3.1 | <i>Queueing</i> | 166 |
| A3.2 | <i>Call Admission Control</i> | 166 |
| A3.3 | <i>Aggregation</i> | 166 |
| A3.4 | <i>Rate Adaptation</i> | 168 |
| A3.5 | <i>Scheduler</i> | 170 |
| A3.6 | <i>Additional Mechanisms for handling QoS</i> | 170 |
| APPENDIX-4: SCHEDULING IN CELLULAR NETWORKS | | 171 |
| A4.1 | <i>Introduction</i> | 171 |
| A4.2 | <i>Scheduling in WIMAX</i> | 171 |
| A4.3 | <i>Scheduling in LTE</i> | 177 |

| | |
|--|-----|
| APPENDIX-5: GENERAL CHARACTERISTICS OF VoIP TRAFFIC | 179 |
| APPENDIX-6: EVALUATION OF PERFORMANCE PARAMETERS..... | 180 |
| APPENDIX-7: MODIFICATIONS TO 802.11 STANDARD RESULTING FROM ADDITION OF MU-MIMO FEATURE..... | 182 |
| APPENDIX-8: PUBLICATIONS BASED ON THIS THESIS | 194 |
| REFERENCES | 195 |