




<b>Name:</b>  <b>Enrolment No:</b>	
--	--

**UNIVERSITY OF PETROLEUM AND ENERGY STUDIES**



S. No.		Marks	CO
Q 1	Prove that the complement of a regular language is also regular. <b>Course: Formal Languages &amp; Automata Theory</b>	4	CO2
Q 2	Construct a DFA for the language over $\{0, 1\}^*$ such that it contains "000" as a substring. <b>Semester III, Program B, Tech. CSE (Hons.) All Branches</b>	4	CO1
Q 3	Construct a $\epsilon$ -NFA for the following regular expression. $(0+1)^*(00+11)(0+1)^*$	4	CO2
Q 4	State the pumping lemma for regular languages. Discuss the applications of regular expression?	4	CO2
Q 5	State the relations among regular expression, deterministic finite automata, non-deterministic finite automaton and finite automaton with epsilon transition.	4	CO1

**SECTION B**  
**(4Qx10M= 40 Marks)**

Q 6	a) Minimize the DFA shown in the following diagram. <div style="text-align: center; margin: 10px 0;">  </div>	<b>Max. Marks: 100</b>	
		<b>10</b>	<b>CO1</b>

b) Convert the following NFA into an equivalent DFA. <div style="text-align: center; margin: 10px 0;">  </div>	<b>SECTION A</b> <b>Qx4M=20Marks)</b>
---	--

--	--	--	--

Q 7	<p>Construct a regular expression for the given finite automata using state elimination method.</p> 	10	CO2
Q 8	<p>Convert the following grammar into an equivalent one with no unit productions and no useless symbols <math>S \rightarrow ABA</math>, <math>A \rightarrow aAA aBC bB</math>, <math>B \rightarrow A bB Cb</math>, <math>C \rightarrow CC Cc</math></p>	10	CO3
Q 9	<p>Convert the Mealy machine into equivalent Moore machine.</p> 	10	CO1
<p><b>SECTION-C</b> (2Qx20M=40 Marks)</p>			
Q 10	<p>a) Design a PDA automata which accepts <math>L = \{0^n 1^n \mid n \geq 1\}</math> .  b) Design a PDA for the grammar: <math>S \rightarrow aABC</math>  <math>A \rightarrow aB a</math> <math>B \rightarrow bA b</math> <math>C \rightarrow a</math></p>	20	CO3
Q 11	<p>a) Design a Turing Machine that recognizes the language consisting of all strings of 0's whose length is a power of 2 i.e. <math>L = \{0^{2^m} \mid m \geq 0\}</math> .  b) Write short notes on the following:  i) Recursive and Recursive enumerable language  ii) Decidable and undecidable language</p>	20	CO4